
Instruction: You can type this homework in the body of the email, or handwrite it, or use Overleaf. For those choosing to use Overleaf, the symbol for \cap is `\cap` and the symbol of ϕ is `\phi`.

1 Second Isomorphism Theorem for abelian groups (+3 pts)

1.1 Statement

Copy the statement of Theorem 11.12 (Second Isomorphism Theorem) in [Judson Section 11.2](#).

But assume G is abelian, so use $+$ as the symbol for the binary operations. Instead of writing HN , you would write $H + N = \{h + n : h \in H, n \in N\}$.

1.2 Proof of Second Isomorphism Theorem for abelian groups

Write the proof of Theorem 11.12 (Second Isomorphism Theorem) in [Judson Section 11.2](#). Follow the proof given in the book.

But assume G is abelian, so use $+$ as the symbol for the binary operations. So you **will not include an explanation why $H \cap N$ is normal**, since every subgroup of an abelian group is normal. Also, the cosets in $H/(H \cap N)$ and in $(H + N)/N$ should be written with the $+$ symbol.

2 Second Isomorphism Theorem for rings (+3 pts)

2.1 Statement

Copy the statement of Theorem 16.32 (Second Isomorphism Theorem for rings) in [Section 16.3](#).

2.2 Proof of Second Isomorphism Theorem for rings

Write a proof of Theorem 16.32 (Second Isomorphism Theorem for rings).

For students enrolled in Math.4210, this last Question [2.2](#) will be graded by completion. For students enrolled in Math.5210, this last question will be graded by correctness.

Hint: In Question [1.2](#), you defined a group homomorphism ϕ which you proved to be an surjective group homomorphism from I onto the quotient group $(I + J)/J$. To prove that ϕ is a surjective ring isomorphism, you only need to show that ϕ preserves the ring multiplication operation, that is, show that

$$\phi(rs) = \phi(r)\phi(s)$$

3 Example (+3 pts)

Consider the ring $R = \mathbb{Z}_{24}$ under the usual addition and multiplication mod 24.

1. List all elements in the principal ideal $I = \langle 4 \rangle = \{4r : r \in R\}$.
List all elements in the principal ideal $J = \langle 6 \rangle$.
2. List all elements in $I + J$.
3. List all elements in $I \cap J$.
4. List all cosets in the quotient ring $(I + J)/J$. For each coset $x + J$, write all elements in the set $x + J$.
5. List all cosets in the quotient ring $I/(I \cap J)$. For each coset $x + (I \cap J)$, write all elements in the set $x + (I \cap J)$.
6. Write down an explicit ring isomorphism (which is guaranteed to exist by the Second Isomorphism Theorem) from the quotient ring $(I + J)/J$ to the quotient ring $I/(I \cap J)$.
Explicitly say which element in $(I + J)/J$ is sent to which element in $I/(I \cap J)$, for this specific example.

4 Acknowledgements (+1 pt)

Write down everyone who contributed to your thought process. Write down Judson's textbook, class notes, and other written sources you used as well.