## 11.8 Power Series

**Definition.** A <u>Power Series</u> (PS) is a series of the form  $\sum_{n=0}^{\infty} c_n x^n = c_0 + c_1 x + c_2 x^2 + \cdots$ 

where x is a variable and each  $c_n$  is a constant called coefficients of the series.

A series of the form  $\sum_{n=0}^{\infty} c_n (x-a)^n$  is called a <u>PS centered at "a".</u>

**Power Series.** For a given power series  $\sum_{n=0}^{\infty} c_n (x-a)^n$  there are only three possibilities:

- (i) The series converges only when x = a
- (ii) The series converges for all x
- (iii) There is a positive number R such that the series converges if |x a| < R and diverges if |x - a| > R.
- 1. **Example:** Determine the radius of convergence and interval of convergence for the following power series.

$$\sum_{n=0}^{\infty} 7^{n+1} x^n$$

Thinking about the problem:

Which test should I use to determine the interval of convergence and why? Have I seen a problem similar to this one before? If so, which test did I use?

I think I will use the Ratio Test to determine the interval of convergence and the radius of convergence. I need to remember that the Ratio Test does <u>not</u> tell me if the power series converges on the endpoints of the interval I find. So, I will need to test whether

the series  $\sum_{n=0}^{\infty} 7^{n+1} x^n$  converges or diverges at the endpoints of the interval.

## Doing the problem:

The problem asks for an interval of convergence of a power series. I will start by applying the Ratio Test. I know that  $a_n = 7^{n+1}x^n$ , so  $a_{n+1} = 7^{n+2}x^{n+1}$ . Therefore,

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{7^{n+2} x^{n+1}}{7^{n+1} x^n} \right|$$
$$= \lim_{n \to \infty} |7x|$$
$$= |7x|.$$

By the Ratio Test, I know that the series converges when |7x| < 1. The inequality |7x| < 1 is true for (-1/7, 1/7), but I still need to test the end points to see if the power series converges when x = -1/7 or x = 1/7. First, I let x = 1/7. Then the series becomes

$$\sum_{n=0}^{\infty} 7^{n+1} \left(\frac{1}{7}\right)^n = \sum_{n=0}^{\infty} 7 \cdot 7^n \left(\frac{1}{7}\right)^n = \sum_{n=0}^{\infty} 7.$$

By the Test for Divergence,  $\lim_{n \to \infty} a_n = \lim_{n \to \infty} 7 \neq 0$ , so I can conclude that  $\sum_{n=0}^{\infty} 7^{n+1} x^n$ 

diverges when x = 1/7. Next, I let x = -1/7. Then the series becomes

$$\sum_{n=0}^{\infty} 7^{n+1} \left( -\frac{1}{7} \right)^n = \sum_{n=0}^{\infty} 7 \cdot 7^n \left( -\frac{1}{7} \right)^n = \sum_{n=0}^{\infty} 7 \cdot (-1)^n.$$

By the Test for Divergence,  $\lim_{n\to\infty} a_n = \lim_{n\to\infty} 7 \cdot (-1)^n \neq 0$ , so I can conclude that

 $\sum_{n=0}^{\infty} 7^{n+1} x^n \text{ diverges when } x = -1/7. \text{ Therefore the interval of convergence of } \sum_{n=0}^{\infty} 7^{n+1} x^n$ 

is (-1/7, 1/7).

Solutions should show all of your work, not just a single final answer.

2. For the following power series:

$$\sum_{n=0}^{\infty} 7^{n+1} x^{2n}$$

(a) What is  $a_n$  in this series?

(b) Evaluate the limit 
$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right|$$
.

(c) For what values of x is 
$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| < 1?$$

(d) Does this mean that we can conclude anything about the convergence of the power series on the endpoints of the interval in (d)? 3. For the following power series:

$$\sum_{n=1}^{\infty} \frac{(x-2)^n}{n^2}$$

(a) For what values of x is  $\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| < 1$ ?

- (b) Write out the two series obtained by substituting each endpoint from the interval obtained in part (a) into the PS  $\sum_{n=1}^{\infty} \frac{(x-2)^n}{n^2}$ .
- (c) Which test or tests could you use to determine whether the series in (b) are convergent or divergent?

(d) Determine whether the series found in (b) are convergent or divergent (*Hint:* You should be determining the convergence or divergence of two different series).

4. Determine the radius of convergence and interval of convergence for the following power

series.

$$\sum_{n=0}^{\infty} \frac{x^n}{(2n+1)!}$$

5. T/F (with justification)

If 
$$\sum_{n=0}^{\infty} c_n$$
 converges then  $\sum_{n=0}^{\infty} c_n x^n$  converges when  $|x| < 1$ .