

Sec 11.6 part 3  
GROWTH RATES

Growth Rates

Definition: Growth Rates of Functions (as  $x$  approaches infinity)

Suppose  $f$  and  $g$  are functions with  $\lim_{x \rightarrow \infty} f(x) = \lim_{x \rightarrow \infty} g(x) = \infty$ . Then

- $f$  grows faster than  $g$  as  $x \rightarrow \infty$  if  $\lim_{x \rightarrow \infty} \frac{f(x)}{g(x)} = \infty$ .
- $f$  and  $g$  have comparable growth rates if  $\lim_{x \rightarrow \infty} \frac{f(x)}{g(x)} = M$ , where  $M$  is a positive number.

Theorem: Asymptotic Hierarchy

Let  $f \ll g$  mean that  $g$  grows faster than  $f$  as  $x \rightarrow \infty$ . Then

$$c \ll (\ln x)^q \ll x^p \ll a^x \ll x! \ll x^x$$

$$c \ll (\ln n)^q \ll n^p \ll a^n \ll n! \ll n^n$$

Example:

Show that  $\frac{x^p}{\ln(x)} \rightarrow \infty$  as  $x \rightarrow \infty$ :

$$\begin{aligned} \lim_{x \rightarrow \infty} \frac{x^p}{\ln x} &= \lim_{x \rightarrow \infty} \\ &= \lim_{x \rightarrow \infty} \\ &= \end{aligned}$$

Example:

Show that  $r^x$  (for  $r > 1$ ) grows faster than  $x^p$ :

$$\begin{aligned} \lim_{x \rightarrow \infty} &= \lim_{x \rightarrow \infty} \\ &= \lim_{x \rightarrow \infty} \\ &= \end{aligned}$$

Review:

$$\frac{d}{dx} (4^x) = \boxed{?}$$

$$c \ll (\ln n)^q \ll n^p \ll a^n \ll n! \ll n^n$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{c}$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{(\ln n)^q}$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{n^p}$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{a^n}$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{n!}$$

$$\lim_{n \rightarrow \infty} \sqrt[n]{n^n}$$

$$\boxed{\lim_{n \rightarrow \infty} c^{\frac{1}{n}}} =$$

$$=$$

$$\boxed{\lim_{n \rightarrow \infty} (\ln n)^{\frac{q}{n}}} = \boxed{?}$$

$$\text{Let } y =$$

$$\ln y =$$

$$\boxed{\lim_{n \rightarrow \infty} (n)^{\frac{2}{n}}} = \boxed{?}$$

Let  $y =$

$\ln y =$

$$\boxed{\lim_{n \rightarrow \infty} (n!)^{\frac{1}{n}}} = \boxed{?}$$

Let  $y = (n!)^{\frac{1}{n}}$

$$\ln(y) = \frac{1}{n} \ln(n!)$$

$$= \frac{1}{n} \ln((1) \cdot (2) \cdot (3) \cdots (n-2) \cdot (n-1) \cdot (n)) \quad \text{by definition of factorial}$$

$$= \frac{1}{n} (\ln(1) + \ln(2) + \ln(3) + \cdots + \ln(n-2) + \ln(n-1) + \ln(n)) \quad \text{by log laws}$$

$$\geq \frac{1}{n} \int_1^n \ln x \, dx \quad \text{Why? Will cover in Sec 7.8: improper integrals and Sec 11.3: Estimates of Sum.}$$

To recap, the above sequence of equality and inequality symbols shows us that

$$\underline{\hspace{10em}} \geq \underline{\hspace{10em}}.$$

Since  $\lim_{n \rightarrow \infty} \frac{1}{n} \left( \int_1^n \ln x \, dx \right) = \lim_{n \rightarrow \infty} \frac{1}{n} \left( x \ln(x) \Big|_{x=1}^{x=n} - \int_1^n dx \right)$  using integration by parts (will be covered in Calc II)

$$= \lim_{n \rightarrow \infty} \frac{1}{n} (n \ln(n) - n + 1)$$

$$= \lim_{n \rightarrow \infty}$$

$$= \underline{\hspace{10em}},$$

we can conclude that  $\lim_{n \rightarrow \infty} \ln(y) = \infty$  as well. Therefore

$$\lim_{n \rightarrow \infty} (n!)^{\frac{1}{n}} = \lim_{n \rightarrow \infty} e^{\ln(y)}$$

$$= \underline{\hspace{10em}}.$$

## USING GROWTH RATES TO DETERMINE WHETHER A SERIES CONVERGES

Refer to the “growth rates” notes.

1. Consider the series

$$\sum_{n=1}^{\infty} \frac{1}{\ln(n+1)}$$

(a) The denominator of the term is  $\ln(n+1)$ . Consider the function  $\ln(x+1)$ . Fill in the blank with  $\ll$  or  $\gg$ :

$$\ln(x+1) \quad \underline{\hspace{1cm}} \quad x.$$

(b) This means that

$$\lim_{x \rightarrow \infty} \underline{\hspace{1cm}} = \infty$$

(See page 1 of this “growth rates” notes)

(c) Fill in the blank with  $\leq$  or  $\geq$ :

$$\ln(n+1) \quad \underline{\hspace{1cm}} \quad n \quad \text{for large enough } n.$$

(d) Fill in the blank with  $\leq$  or  $\geq$ :

$$\frac{1}{\ln(n+1)} \quad \underline{\hspace{1cm}} \quad \frac{1}{n} \quad \text{for sufficiently large } n.$$

(e) State the test which you would use to determine whether the series  $\sum \frac{1}{n}$  converges or diverges.

(f) State whether the series  $\sum_{n=1}^{\infty} \frac{1}{n}$  converges or diverges.

(g) State the statement of the limit comparison test.

(h) Compute  $\lim_{n \rightarrow \infty} \frac{n}{\ln(n+1)}$ . Note that the answer is given in part (b).

(i) By the limit comparison test and part (f), the series

$$\sum_{n=1}^{\infty} \frac{1}{\ln(n+1)} \quad \underline{\hspace{2cm}}$$

2. Let  $p$  be any positive integer (say,  $p = 5$ ) Let  $a$  be a number larger than 1 (say,  $a = \frac{3}{2}$ ). Consider the series

$$\sum_{n=1}^{\infty} \frac{n^p}{a^n} = \sum_{n=1}^{\infty} \frac{n^5 2^n}{3^n}.$$

After simplifying, we realize that the term of the series is

$$\frac{n^5}{\left(\frac{3}{2}\right)^n}.$$

- (a) The series  $\sum_{n=1}^{\infty} n^5$  \_\_\_\_\_ by the \_\_\_\_\_ test.
- (b) The series  $\sum_{n=1}^{\infty} \left(\frac{2}{3}\right)^n$  \_\_\_\_\_ by the \_\_\_\_\_ test.
- (c) Let's figure out: is the numerator/ denominator more dominant than the other?
- (d) The denominator of the term is  $\left(\frac{3}{2}\right)^n$ . Consider the function  $\left(\frac{3}{2}\right)^x$ .  
The numerator of the term is  $n^5$ . Consider the function  $x^5$ .  
Fill in the blank with  $\ll$  or  $\gg$ :

$$x^5 \quad \underline{\hspace{1cm}} \quad \left(\frac{3}{2}\right)^x.$$

- (e) This means that (check the "growth rates" notes)

$$\lim_{x \rightarrow \infty} \underline{\hspace{2cm}} = \infty. \text{ This also means } \lim_{x \rightarrow \infty} \underline{\hspace{2cm}} = 0.$$

- (f) Part (e) means that \_\_\_\_\_ is more dominant than \_\_\_\_\_.
- (g) State the ratio test.

- (h) (Recall that when you see *only* polynomial-like terms, like  $n^{p_1} + n^{p_2}$ , the ratio test *will be inconclusive* (Why?). But, if you see powers like  $a^n$  it's OK to use the ratio test. Let's apply the ratio test to  $\sum a_n = \sum \frac{n^5 2^n}{3^n}$ . Compute

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} &= \lim_{n \rightarrow \infty} \frac{(n+1)^5}{\left(\frac{3}{2}\right)^{(n+1)}} \frac{\left(\frac{3}{2}\right)^n}{n^5} \\ &= \end{aligned}$$

- (i) By the ratio test, the series

$$\sum_{n=1}^{\infty} \frac{n^5 2^n}{3^n} \quad \underline{\hspace{2cm}}.$$

3. Consider the series

$$\sum_{n=1}^{\infty} a_n$$

for

$$a_n = \frac{n^n}{7^n (n)!} \quad \text{and} \quad a_n = \frac{n^n}{2^n (n)!}$$

(a) Look at the term of the series.

The numerator,  $n^n$  looks like the function \_\_\_\_\_.

The denominator,  $7^n (n)!$  looks like the product of functions \_\_\_\_\_ and \_\_\_\_\_.

(b) Which is more dominant for large  $n$ ? The numerator or the denominator? Can you tell just by looking at the “growth rates” notes?

(c) I told you that the ratio test *will probably work* if you see exponents like  $r^n$  or a factorial. Compute

$$\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n}$$

for

$$a_n = \frac{n^n}{7^n n!} \quad \text{and} \quad a_n = \frac{n^n}{2^n n!}$$

( Recall that  $(1 + \frac{1}{n})^n \rightarrow e$  as  $n \rightarrow \infty$ )

(d) By the ratio test, the series

$$\sum \frac{n^n}{7^n n!} \text{ _____ and } \sum \frac{n^n}{2^n n!} \text{ _____}.$$